

**TECNICO DE LABORATORIO - ELETROELETRONICA - D-TLELELE - CADERNO 1**

Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
D	E	D	E	A	C	C	C	E	E	B	C	B	A	C	C	E	B	D	C	C	B	E	A	D	D	B	E	A	C	D	C	A	E	C
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70
D	E	B	C	C	A	D	E	A	A	D	E	D	C	B	C	C	A	A	D	C	C	A	D	D	B	A	D	A	B	C	A	X	A	B

**TECNICO DE LABORATORIO - ELETROELETRONICA - D-TLELELE - CADERNO 2**

Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
C	C	C	E	E	B	C	D	E	D	E	A	C	E	B	B	A	C	B	E	A	D	D	C	C	A	C	D	C	A	D	B	E	B	C	
Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	
C	E	C	D	E	D	C	C	A	D	D	B	A	D	A	B	C	A	X	A	B	A	D	E	A	A	D	E	D	C	B	C	C	A	A	

X = ANULADA